AMENDMENTS TO THE CLAIMS

1. (previously presented) A diaminobenzene compound represented by formula (1) below

where R¹ and R² each independently denotes a hydrogen atom, alkyl group, or alkoxyl group.

- 2. (previously presented) The diaminobenzene compound as defined in claim 1, wherein R^1 and R^2 each independently denotes a $C_{1\cdot 20}$ alkyl group, $C_{1\cdot 20}$ alkoxyl group, or $C_{1\cdot 20}$ fluoroalkyl group.
- (previously presented) A polyimide precursor which comprises repeating units represented by formula (2) below

where R1 and R2 each independently denotes a hydrogen atom, alkyl group, or alkoxyl group;

"A" denotes a residue of tetracarboxylic acid; and n denotes an integer of 1 to 5000.

4. (previously presented) A polyimide which comprises repeating units represented by formula (3) below

where R¹ and R² each independently denotes a hydrogen atom, alkyl group, or alkoxyl group;
"A" denotes a residue of tetracarboxylic acid; and n denotes an integer of 1 to 5000.

- 5. (currently amended) A polyimide precursor which is obtained by reaction between
- a diamine component containing at least 1 mol% of the diaminobenzene compound defined in claim 1 or 2 a diaminobenzene compound represented by formula (1) below

where R1 and R2 each independently denotes a hydrogen atom, alkyl group, or alkoxyl group and

Application No.: 10/561,152 Docket No.: 0171-1250PUS1

a tetracarboxylic acid or a derivative thereof.

- (original) The polyimide precursor as defined in claim 5, wherein the tetracarboxylic acid or the derivative thereof is an aromatic tetracarboxylic acid or a derivative thereof.
- (original) The polyimide precursor as defined in claim 6, wherein the aromatic tetracarboxylic acid is a tetracarboxylic acid having phenyl groups or substituted phenyl groups.
- 8. (currently amended) A polyimide which is obtained by ring-closing reaction from any of polyimide precursors as defined in claim 5 obtained by reaction between
- a diamine component containing at least 1 mol% of a diaminobenzene compound represented by formula (1) below

where R¹ and R² each independently denotes a hydrogen atom, alkyl group, or alkoxyl group and a tetracarboxylic acid or a derivative thereof.

- (previously presented) A charge carrier transporting film which is formed from the polyimide as defined in claim 4.
- 10. (previously presented) An organic transistor device which comprises the charge carrier transporting film as defined in claim 9.

Application No.: 10/561,152 Docket No.: 0171-1250PUS1

11. (original) An organic light emitting diode which has at least one layer of the charge carrier transporting film as defined in claim 9.

- 12. (previously presented) A fluorescent filter which comprises the charge carrier transporting film as defined in claim 9.
- 13. (previously presented) A liquid crystal alignment film which comprises the charge carrier transporting film as defined in claim 9.
- 14. (new) The polyimide precursor as defined in claim 5, wherein R^1 and R^2 each independently denotes a $C_{1:20}$ alkyl group, $C_{1:20}$ alkoxyl group, or $C_{1:20}$ fluoroalkyl group.
- 15. (new) The polyimide as defined in claim 8, wherein R^1 and R^2 each independently denotes a $C_{1:20}$ alkyl group, $C_{1:20}$ alkoxyl group, or $C_{1:20}$ fluoroalkyl group.